



2024 INTL PRODUCT LINEUP - ENGLISH





AT BERGARA, WE BELIEVE THAT A PRECISION FIREARM REQUIRES THE BEST COMPONENTS AND AN ASSEMBLY PROCESS CARRIED OUT BY INDIVIDUALS WHO ARE THE BEST OF THE BEST AT THEIR CRAFT. WE'VE BUILT A TEAM OF THE WORLD'S MOST TALENTED AND EXPERIENCED FIREARM BUILDERS – FIRST IN THE USA FOR OUR PREMIER SERIES, AND NOW IN SPAIN FOR OUR B-14 SERIES. THE RESULTS ARE EXTREME PRIDE IN BUILDING, AND EXTREME PRIDE IN OWNERSHIP.



A HISTORY OF PRECISION

IT ALL BEGAN SEVERAL YEARS AGO WITH A SMALL LINE OF CUSTOM RIFLES AND ONE TOP-NOTCH CRAFTSMAN, THE FORMER PRODUCTION CHIEF AND CHIEF INSTRUCTOR FOR THE UNITED STATES MARINE CORPS PRECISION WEAPONS SECTION.

As Bergara rapidly grew, we then assembled a hand-picked group.

With the most technically-advanced barrel manufacturing techniques, state-of-the-art machinery, and an unwavering commitment to quality, Bergara Barrels has become the barrel source of numerous top-tier gun manufacturers in both Europe and the United States. Bergara is producing a full line of precision firearms engineered and built to showcase the performance capabilities of our world-class barrels.

Today, these individuals form the core of our production team. They pass on their knowledge and expertise to every new employee, thereby bringing their own real world experience and expertise to every Bergara firearm.



PREMIER SERIES	8
Elevate	12
Elite	13
HMR Pro	14
B-14² SERIES	16
Crest Carbon	20
Crest	21
B-14 WILDERNESS SERIES	22
Sierra	26
Thumbhole Carbon	28
Thumbhole	29
HMR Carbon	30
HMR	31
Ridge Carbon	32
Ridge	33
EXTREME SERIES	34
Sierra	38
Hunter	39
B-14 SERIES	40
Stoke	44
Sporter	45
Timber	46
Hunter	47
HMR	48
Barreled Action	49
BA13 SERIES	50
TD Standard	54
TD Strata	55
TD Green	56
RIMFIRE SERIES	57
B-14 R Carbon	62
B-14 R	63
BMR Carbon	64
BMR	65
Barreled Action	66
ACCESSORIES	70
SPECIFICATIONS	71



MADE IN OUR FACILITIES

TO PERFORM IN THE FIELD



**EVERY RIFLE STARTS
WITH A PRECISION BARREL**

STEP 1 *BARREL STRAIGHTENING*

Each Bergara barrel must begin with a straight bar of cylindrical steel. We inspect every bar to ensure it meets our deviation standards.

STEP 2 *DEEP HOLE DRILLING*

The bar then moves on to a four spindle deep hole drilling machine where a perfect hole is drilled through the entire length of the bar.

STEP 3 *BARREL HONING*

Three separate honing spindles utilize diamond tipped bits that polish the interior surface of the barrel to a mirror-like finish.

STEP 4 *BUTTON RIFLING*

A carbide rifling button is drawn through the barrel to produce the rifling grooves at the appropriate twist rate for each caliber. It's the same result that many gunsmiths accomplish by hand lapping.

STEP 5 *STRESS RELIEVING*

A high temperature heating process realigns the steel molecules ensuring the barrel is free from any stress.





THERE'S NO LONGER A NEED TO COMPROMISE PERFORMANCE FOR WEIGHT.

WE'VE CURED THE DILEMMA OF IMPACT MIGRATION BETWEEN COLD BORE AND SUBSEQUENT SHOTS AS BARRELS HEAT UP. WHILE CONTROLLING HEAT AND MATING PROPRIETARY CARBON AND STEEL, OUR FOCUS IS ON THE ESSENTIALS OF STRAIGHTNESS AND STIFFNESS FOR CONSISTENT PERFORMANCE, ROUND AFTER ROUND.




PATENTED COLDBORE TECHNOLOGY

We developed a carbon system built around moving and controlling heat. Continuous stainless steel strands were added into the carbon weave to conduct heat away from the chamber and down the barrel efficiently and consistently.



BERGARA PRECISION BARREL

Being light, straight, stiff and consistent is essential to accuracy, but there's still only one thing a bullet touches - the inside of a barrel. Bergara's reputation was built on the best drilling, honing and rifling processes on the planet.



STRAIGHTNESS

We solved the twisting and inconsistency problems of filament wound carbon barrels by optimizing the weave alignment with the barrel.



STIFFNESS

Conductive, unidirectional plies of high modulus carbon result in consistent stiffness as the barrel heats, reducing variation between shots.



LIGHTWEIGHT

Reduced barrel weight without suffering impact migration problems of traditional light profile barrels.

CURE Carbon Barrels contain a center wrap carbon weave that is designed to align directionally true to the center of the barrel's bore.

Utilizing Bergara's patented ColdBore Technology, CURE Barrels weave continuous stainless-steel strands into the carbon fiber to conduct heat away from the chamber and down the barrel efficiently and consistently.

CURE Barrels bring new levels of accuracy and performance to ultralight precision rifles.

PREMIER SERIES

BUILT BY HAND AND PAIRED WITH OUR WORLD-RENOWNED BARRELS, THE PREMIER SERIES PROVIDES NEAR CUSTOM PERFORMANCE AT PRICES THAT ARE AFFORDABLE TO SERIOUS SHOOTERS. ONLY THE BEST COMPONENTS AND FINEST CRAFTSMEN CAN BE USED TO CREATE A RIFLE LINE THIS RELIABLE AND ACCURATE.

FEATURES

- | | |
|-------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| BERGARA PREMIER ACTION | <ul style="list-style-type: none"> • Premium stainless steel with Cerakote® finish • 2 locking lugs located on the front of the bolt head • Separate "floating" bolt head assures contact with lug abutments • Cone-shaped bolt nose assures smooth feeding • Sliding plate extractor • All new models feature a dual ejector • 1-piece stainless steel bolt body with threaded-in bolt handle • 90° bolt throw angle • Bolt shroud is bayonet style allowing access to the firing pin assembly. Simply twist the bolt shroud and the entire firing assembly can be removed without tools |
| BERGARA BARREL | <ul style="list-style-type: none"> • Made from premium carbon fiber or stainless steel • Carbon fiber or Cerakote® finish • Guaranteed to produce sub-MOA groups at 100 yards using quality factory ammunition |
| TRIGGER | <ul style="list-style-type: none"> • Externally adjustable TriggerTech® triggers and Frictionless Release • Technology™ as standard equipment |
| SAFETY MECHANISMS | <ul style="list-style-type: none"> • The 2-position safety is part of the trigger assembly. It allows the rifle to be unloaded while in the safe position • Non-rotating gas shield behind the bolt head protects the shooter from gas and debris in the event of a case or primer rupture |



SPOTLIGHT

J.E. WILDS // ELEVATE

NEW ZEALAND - TAHR

“ We noticed animals making their way out of the thick scrub areas and rocky bluffs and we decided to make a move on a particular bull Tahr that was in a large alpine basin ahead of us. Just as we were packing up our gear to get closer to the bull, I caught movement above us.

No more than 140 yards away was a mature bull Tahr standing on a rocky outcrop. Our focus shifted instantly to this majestic bull, we crawled into position with the Bergara Elevate and Pedro pulled off a precise shot.

In the snow at the top of the mountain lay an incredible once-in-a-lifetime 14-year-old bull Tahr with an extraordinary golden mane. This was not the only success we had on this hunt, with me taking an equally impressive bull Tahr. The Bergara Elevate rifle demonstrated exceptional performance throughout, contributing to an unforgettable hunting experience in the rugged terrains of New Zealand. ”



ELEVATE

WEIGHT
starting at
2.6 kg

RRP (NO VAT)
starting at
3.190 €

ACCURACY
sub-MOA
Guarantee

BARREL

Cure™ Carbon barrel
51 cm (20") - 61 cm (24") barrel lengths

STOCK

MDT HNT26 Carbon Chasis

MAGAZINE

AICS Style Detachable



CALIBERS

6.5 CREEDMOOR | 6.5 PRC | .308 WIN

ELITE

WEIGHT
starting at
6.4 kg

RRP (NO VAT)
starting at
3.630 €

ACCURACY
sub-MOA
Guarantee

BARREL

410 stainless steel
66 cm (26") barrel lengths

STOCK

MDT ELITE Chasis

MAGAZINE

AICS Style Detachable



CALIBERS

6 MM CREEDMOOR | 6.5 CREEDMOOR | .308 WIN



HMR PRO // HUNTING & MATCH

WEIGHT
starting at
4.2 kg

RRP (NO VAT)
starting at
1.999 €

ACCURACY
sub-MOA
Guarantee

BARREL

410 stainless steel
51 cm (20") - 66 cm (26") barrel lengths

FINISH

Tactical Gray Cerakote®

STOCK

Bergara HMR molded with mini-chassis


MAGAZINE

AICS Style Detachable



CALIBERS

.22-250 REM | 6.5 CREEDMOOR | 6.5 PRC | .300 PRC | .308 WIN | .300 WIN MAG



B-14² SERIES

THE NEW B-14² CONCEPT STANDS FOR ADDING A PROPRIETARY DEVELOPMENT OF A CARBON FIBER MONOCOQUE STOCK. CREATED 100% IN CARBON FIBER, THIS STOCK HAS AN INTERNAL STRUCTURE THAT PROVIDES GREATER RIGIDITY AND STRENGTH, MAKING IT NEARLY INDESTRUCTABLE.

FEATURING THIS NEW STOCK, OUR B-14 ACTION AND OUR WELL-KNOWN BARRELS, WE'VE BLENDED ALL THE ADVANTAGES OF THE B-14 MODEL SERIES CONVERGING INTO SOMETHING UNIQUE, WHICH WE HAVE CALLED B-14 SQUARED.



FEATURES

- BERGARA B-14 ACTION**
- Spring-loaded ejector
 - Side-mounted bolt stop
 - Fluted, 4140 chromoly steel, one piece bolt body
 - 90° bolt throw angle
 - Cone-shaped bolt nose ejector - assures smooth feeding
 - Sliding plate extractor
 - Hinged floor plate or detachable magazine
 - Cerakoted® Sniper Grey

- BERGARA BARREL**
- Made with Cure™ Carbon barrel or 4140 CrMo steel
 - Sniper Grey Cerakote®
 - Sub MOA accuracy guaranteed

- TRIGGER**
- Adjustable Bergara Performance Trigger

- SAFETY MECHANISMS**
- The two position safety is part of the trigger assembly. It allows the rifle to be unloaded while in the safe position.

- STOCK**
- 100% Carbon Fiber Monocoque stock with carbon spine



SPOTLIGHT

“ PEDRO AMPUERO // CREST CARBON

TAJIKISTAN - PAMIR IBEX

In the western part of the Pamir Mountains, right on the border between Afghanistan and Tajikistan is where we loaded a couple of donkeys to hike towards our first fly camp of the trip. The temperatures are extremely high for December, and without any signs of snow on the mountain tops the forecast predicted it was going to be a hell of a tough hunt.

The country is so steep that there is just one road at the bottom, hardly any trails for people and too dangerous to use horses, but that's the type of terrain the ibex and Markhor like. With an average of 4,500ft of daily elevation gain these mountains not only tested our physical condition, but also the mental toughness of the whole team. Rough week of hunting with a happy ending. I used the Bergara Crest Carbon in 6.5PRC, great balance of precision and solid and stable platform, but light enough to use in the mountains.



NEW

CREST // CARBON

WEIGHT
starting at
2.9 kg

RRP (NO VAT)
starting at
1.804 €

ACCURACY
sub-MOA
Guarantee

BARREL

Cure™ Carbon barrel
51 cm (20")-61 cm (24") Barrel Lengths

FINISH

Sniper Grey Cerakote®

STOCK

100% Carbon Fiber with Carbon Spine

MAGAZINE

AICS Style Detachable



CREST // STEEL

WEIGHT
starting at
3.1 kg

RRP (NO VAT)
starting at
1.626 €

ACCURACY
sub-MOA
Guarantee

BARREL

4140 CrMo Steel
51 cm (20")- 61 cm (24") Barrel Lengths

FINISH

Sniper Grey Cerakote®

STOCK

100% Carbon Fiber with Carbon Spine

MAGAZINE

AICS Style Detachable



CALIBERS

.223 REM | 6.5 CREEDMOOR | 6.5 PRC | .270 WIN | .7 PRC | 7MM REM MAG

.30-06 SPRG | .308 WIN | .300 WIN MAG

CALIBERS

.223 REM | .243 WIN | 6.5 CREEDMOOR | 6.5 PRC | .270 WIN | .7 PRC | 7MM REM MAG

.30-06 SPRG | .308 WIN | .300 WIN MAG



B-14 WILDERNESS SERIES

THE B-14 WILDERNESS SERIES® EMBODY PURE PERFORMANCE. REAL-WORLD FEATURE SETS LIKE FLUTED BOLTS, SPECIALIZED COATINGS, AND STOCK OPTIONS THAT CAN WITHSTAND THE RUGGED AND UNFORGIVING WILDERNESS, WHILE BLENDING IN TO THOSE VERY SAME ELEMENTS. THIS SERIES IS FOR THE BACK COUNTRY, TO MATCH EVERY STRIDE YOU TAKE OFF THE BEATEN TRAIL.

FEATURES

- BERGARA B-14 ACTION**
- Spring-loaded ejector
 - Side-mounted bolt stop
 - Fluted, 4140 CrMo steel, one piece bolt body
 - 90° bolt throw angle
 - Cone-shaped bolt nose ejector - assures smooth feeding
 - Sliding plate extractor
 - Hinged floor plate or detachable magazine
 - Sniper Grey Cerakote®


- BERGARA BARREL**
- Made from 4140 CrMo steel
 - Sniper Grey Cerakote®
 - Sub MOA accuracy guarantee

- TRIGGER**
- Adjustable Bergara Performance Trigger

- SAFETY MECHANISMS**
- The two position safety is part of the trigger assembly. It allows the rifle to be unloaded while in the safe position.

- STOCK**
- Bergara's hand-painted camouflage






SPOTLIGHT

CHRIS TRUJILLO // SIERRA

COLORADO MULE DEER & ARIZONA COUSE DEER

“Hunting public land, I needed a rifle that kept me moving fast. Glassing off high points, prone, long distance shots were to be expected. Hunting public land comes with limited opportunities on mature bucks. The Wilderness Sierra is everything I needed to capitalize on my opportunities. The many miles hiked in snow and rain across rocky, mountain slopes in search of the right buck, all came down to settling the crosshairs, exhaling, slowly pulling the trigger and knowing my bullet would fly true.”



NEW

SIERRA

WEIGHT

starting at
3.2 kg

RRP (NO VAT)

starting at
990 €

ACCURACY

sub-MOA
Guarantee

BARREL

4140 CrMo Steel
20"-24" Barrel Lengths

FINISH

Sniper Grey Cerakote®

STOCK

Bergara Sporter with Adjustable Comb

MAGAZINE

AICS style detachable

LEFT HANDED MODELS AVAILABLE



CALIBERS

.223 REM | 6.5 CREEDMOOR | 6.5 PRC | .270 WIN | .7 PRC | 7MM REM MAG | .30-06 SPRG

.300 PRC | .308 WIN | .300 WIN MAG



THUMBHOLE // CARBON

WEIGHT
starting at
3 kg (6 lbs)

RRP (NO VAT)
starting at
1.430 €

ACCURACY
sub-MOA
Guarantee

BARREL

Cure™ Carbon barrel
51 cm (20") - 61 cm (24") barrel lengths

FINISH

Sniper Gray Cerakote®

STOCK

Thumbhole Synthetic Stock with a rubberized grip

MAGAZINE

AICS Style Detachable



THUMBHOLE // STEEL

WEIGHT
starting at
3.3 kg (7.2 lbs)

RRP (NO VAT)
starting at
1.078 €

ACCURACY
sub-MOA
Guarantee

BARREL

4140 CrMo Steel
51 cm (20") - 61 cm (24") barrel lengths

FINISH


Sniper Gray Cerakote®

STOCK

Thumbhole Synthetic Stock with a rubberized grip

MAGAZINE

AICS Style Detachable



CALIBERS

.223 REM | 6.5 CREEDMOOR | 6.5 PRC | .270 WIN | .7 PRC | 7MM REM MAG

.30-06 SPRG | .308 WIN | .300 WIN MAG

CALIBERS

.223 REM | .243 WIN | 6.5 CREEDMOOR | 6.5 PRC | .270 WIN | .7 PRC | 7MM REM MAG

.30-06 SPRG | .308 WIN | .300 WIN MAG

HMR // CARBON

WEIGHT
starting at
3.4 kg

RRP (NO VAT)
starting at
1.540 €

ACCURACY
sub-MOA
Guarantee

BARREL

Cure™ Carbon barrel
51 cm (20") - 61 cm (24") barrel lengths

FINISH


Sniper Grey Cerakote®

STOCK

Bergara HMR Molded with Mini-Chassis

MAGAZINE

AICS Style Detachable



CALIBERS

6.5 CREEDMOOR | 6.5 PRC | .7 PRC | .308 WIN | .300 WIN MAG

HMR // STEEL

WEIGHT
starting at
4.3 kg

RRP (NO VAT)
starting at
1.320 €

ACCURACY
sub-MOA
Guarantee

BARREL

4140 CrMo Steel
51 cm (20") - 66 cm (26") Barrel Lengths

FINISH

Sniper Grey Cerakote®

STOCK

Bergara HMR Molded with Mini-Chassis

MAGAZINE

AICS Style Detachable



CALIBERS

6.5 CREEDMOOR | 6.5 PRC | .7 PRC | .300 PRC | .308 WIN | .300 WIN MAG





RIDGE // CARBON

WEIGHT
starting at
2.9 kg

RRP (NO VAT)
starting at
1.320 €

ACCURACY
sub-MOA
Guarantee

BARREL

Cure™ Carbon barrel
51 cm (20") - 61 cm (24") barrel lengths

FINISH

Sniper Gray Cerakote®

STOCK

American style synthet

MAGAZINE

Hinged floor plate



CALIBERS

6.5 CREEDMOOR | 6.5 PRC | .7 PRC | .308 WIN | .300 WIN MAG



RIDGE // STEEL

WEIGHT
starting at
3.3 kg

RRP (NO VAT)
starting at
990 €

ACCURACY
sub-MOA
Guarantee

BARREL

4140 CrMo Steel
51 cm (20") - 61 cm (24") barrel lengths

FINISH

Sniper Gray Cerakote®

STOCK

American style synthetic

MAGAZINE

Hinged floor plate



CALIBERS

6.5 CREEDMOOR | 6.5 PRC | .7 PRC | .300 PRC | .308 WIN | .300 WIN MAG



B-14 EXTREME SERIES

CONCEIVED FOR GUARDS IN REMOTE PARTS OF THE WORLD WHO NEED AN AFFORDABLE RIFLE FOR PROTECTION IN EXTREMEST CONDITIONS OF RAIN, SNOW AND SALTY WINDS. THE B14 EXTREME SERIES HAS BECOME A POPULAR CHOICE AMONG HUNTERS AROUND THE WORLD FOR BEING A LIGHT-WEIGHT, SHORT, EASY-TO-MAINTAIN AND EXTREMELY RELIABLE. A TRUE CONFIGURATION THAT SHOULD BE PRESENT IN EVERY GUN SAFE.

FEATURES

- BERGARA B-14 ACTION**
- Spring-loaded ejector
 - Side-mounted bolt stop
 - One-piece body with two locking lugs
 - 90° bolt throw angle
 - Cone-shaped bolt nose ejector - assures smooth feeding
 - Sliding plate extractor
 - Detachable magazine

- BERGARA BARREL**
- Made from 410 ISI stainless steel
 - Graphite Black Cerakote® / Stainless Grey Cerakote®
 - Sub MDA accuracy guarantee

- TRIGGER**
- Adjustable Bergara Performance Trigger

- SAFETY MECHANISMS**
- The two position safety is part of the trigger assembly. It allows the rifle to be unloaded while in the safe position.





SPOTLIGHT

MARTIN BIE-ERICHSEN // EXTREME HUNTER

NORWAY - GOOSE

“ We arrived at the fields as the sun was rising and spotted the first geese of the day, grassing at the edge of a large field. My son knew the drill as he tagged along for this hunt.

We positioned ourselves under some pines. The goose is only 95 meters, a comfortable distance for such a small target. Especially when we are used to taking these shots at 180 meters or further. I rig my B14 Extreme up and warn my 2-year-old that a shot is coming. Everything felt right.

It might just be a goose, but the conversation with my son as we walked towards our kill, made it feel like we just shot the stag of our lifetime. ”



NEW

SIERRA

WEIGHT
starting at
3 kg

RRP (NO VAT)
starting at
1.023 €

ACCURACY
sub-MOA
Guarantee

BARREL

410 stainless steel
46 cm (18") barrel

FINISH

Graphite Black Cerakote®

STOCK

Bergara Sporter with Adjustable Comb

MAGAZINE

AICS Style Detachable



CALIBERS

.223 REM. | .243 WIN. | .30-06 SPRG | .300 BLK | .308 WIN

NEW

HUNTER

WEIGHT
starting at
2.9 kg

RRP (NO VAT)
starting at
990 €

ACCURACY
sub-MOA
Guarantee

BARREL

410 stainless steel
46 cm (18") barrel

FINISH

Stainless Grey Cerakote®

STOCK

American style synthetic

MAGAZINE

Bergara Detachable



CALIBERS

.243 WIN. | 6.5 CREEDMOOR | .30-06 SPRG | .308 WIN | 9.3X62MM





B-14 SERIES

THE B-14 SERIES RIFLES ARE BUILT AT OUR STATE-OF-THE-ART FACILITY IN SPAIN. THANKS TO OUR HIGHLY EFFICIENT MANUFACTURING TECHNIQUES WE CAN BRING A LINE OF EXTREMELY ACCURATE AND RELIABLE RIFLES TO SERIOUS SHOOTERS AT EXTREMELY AFFORDABLE PRICES. VALUE PACKED, AND TOUGH ENOUGH TO WEAR THE BERGARA NAME.

FEATURES

- BERGARA B-14 ACTION**
- Spring-loaded ejector
 - Side-mounted bolt stop
 - One-piece body with two locking lugs
 - 90° bolt throw angle
 - Cone-shaped bolt nose ejector - assures smooth feeding
 - Sliding plate extractor
 - Hinged floor plate or detachable magazine

- BERGARA BARREL**
- Made from 4140 CrMo steel
 - Graphite Black Cerakote®
 - Sub MOA accuracy guarantee

- TRIGGER**
- Bergara Performance Trigger

- SAFETY MECHANISMS**
- The two position safety is part of the trigger assembly. It allows the rifle to be unloaded while in the safe position.



SPOTLIGHT

VICTORIA ALBIZURI // STOKE

SPAIN - CHAMOIS

“ You only get to hunt your first chamois once in your life. There are several subspecies of this animal all around Europe and are considered to be the best representation of what mountain hunting is. They are really tough animals that live in some of the most rugged terrain you can think of. The small trophy only attracts the hunters that see the beauty of the challenge beyond what they can hang on the wall. When you see them in the mountains, they transmit a feeling of freedom hard to describe. If you can get one it is because you earned it.

I knew what I was facing when I travelled to the Cantabrian mountains of Spain, trying to get the smallest subspecies of the world plus the biggest accomplishment of my life. On this trip I used the new Stoke rifle in .308WIN, with a shorter stock and length of pull it was the perfect fit to assure I would made the most of any opportunity that the mountain may give us. ”



NEW

STOKE

WEIGHT
starting at
2.5 kg

RRP (NO VAT)
starting at
770 €

ACCURACY
sub-MOA
Guarantee

BARREL

4140 CrMo Steel
42 cm (16.5") - 51 cm (20") barrel lengths

FINISH


Graphite Black Cerakote®

STOCK

Compact stock with 311 cm LOP
Adjustable with LOP spacers

MAGAZINE

AICS Style Detachable



CALIBERS

.223 REM | .22-250 REM | .243 WIN | 6.5 CREEDMOOR | 6.5 PRC | .300 BLK | .308 WIN



SPORTER

WEIGHT
starting at
3.3 kg

RRP (NO VAT)
starting at
792 €

ACCURACY
sub-MOA
Guarantee

BARREL

4140 CrMo Steel
56 cm (22") - 61 cm (24") barrel lengths

FINISH

Graphite Black Cerakote®

STOCK

Monte Carlo style synthetic with SoftTouch finish

MAGAZINE

Bergara detachable



CALIBERS

.243 WIN | 6.5 CREEDMOOR | 6.5X55 SE | .270 WIN | 7MM REM MAG | .30-06 SPRG

.308 WIN | .300 WIN MAG | .338 WIN MAG

TIMBER

WEIGHT
starting at
3.4 kg

RRP (NO VAT)
starting at
999 €

ACCURACY
sub-MOA
Guarantee

BARREL

4140 CrMo Steel
56 cm (22") - 61 cm (24") barrel lengths

FINISH

Graphite Black Cerakote®


STOCK

Monte Carlo style walnut

MAGAZINE

Hinged floor plate and Bergara detachable

LEFT HANDED MODELS AVAILABLE



CALIBERS

.243 WIN | 6.5 CREEDMOOR | 6.5X55 SE | .270 WIN | 7MM REM MAG | .30-06 SPRING | .308 WIN
.300 WIN MAG | .338 WIN MAG | .375 H&H

HUNTER

WEIGHT
starting at
3.2 kg

RRP (NO VAT)
starting at
869 €

ACCURACY
sub-MOA
Guarantee

BARREL

4140 CrMo Steel
56 cm (22") - 61 cm (24") barrel lengths

FINISH

Graphite Black Cerakote®

STOCK

American style synthetic with SoftTouch finish

MAGAZINE

Bergara detachable



CALIBERS

.243 WIN | 6.5 CREEDMOOR | .270 WIN | 7MM REM MAG | .30-06 SPRG | .308 WIN | .300 WIN MAG

HMR // HUNTING & MATCH RIFLE

WEIGHT
starting at
4.4 kg

RRP (NO VAT)
starting at
1.210 €

ACCURACY
sub-MOA
Guarantee

BARREL

4140 CrMo Steel
61 cm [24"] - 66 cm [26"] barrel lengths

FINISH

Graphite Black Cerakote®

STOCK

Bergara HMR molded with mini-chassis

MAGAZINE

AICS Style Detachable

LEFT HANDED MODELS AVAILABLE



BARRELED ACTION // SHOOTING

WEIGHT
starting at
3.6 kg

RRP (NO VAT)
starting at
990 €

ACCURACY
sub-MOA
Guarantee

BARREL

410 stainless steel
66 cm [26"] barrel length

MAGAZINE

AICS Style Detachable - 10 rounds



CALIBERS

.22-250 REM | 6.5 CREEDMOOR | .308 WIN | .300 WIN MAG

CALIBERS

6 MM CREEDMOOR | 6.5 CREEDMOOR | .308 WIN



BA13 SERIES

FOR THE HUNTER WHO WANTS A HIGH-QUALITY SINGLE SHOT RIFLE, THE BA13 TAKE DOWN IS THE IDEAL CHOICE. OUR BA13 TAKE DOWN RANGE IS A POPULAR CHOICE FOR MOUNTAIN HUNTING. ITS EXCELLENT MANEUVERABILITY AND PRECISION MAKE THE BA13 TD SINGLE SHOOT RIFLE AN OPTIMAL PERFORMANCE FOR A STALKING RIFLE.

FEATURES

BERGARA ACTION

- 100% Ambidextrous stock
- CrushZone® recoil pad
- Equipped with a weaver-style rail
- Reversible cocking spur
- Trigger guard actuated breech system

BERGARA BARREL

- Fluted Bergara Barrel
- Matte Blued / Stainless Steel / Elite Moss Cerakote®
- 4140 CrMo blued steel or 410 AISI stainless steel

SAFETY MECHANISMS

- Compact Synthetic design or Thumbhole stock in black color, Strata camo or green colour





SPOTLIGHT

CLAUDIA BREIT // BA13 THUMBHOLE

GERMANY - WILDBOAR

“ Stalking wild boars is one of the most captivating hunts I can imagine. Because then I venture outdoors in the twilight with my BA13TD and move there, sometimes for hours, through cold and darkness, for just one decisive moment. Then time stands still. I hear snorting, branches cracking, and many steps slinking over the leaf-covered ground. Suddenly, one of the smaller animals raises its head and stands broad. It's precisely this moment, the shot, and my skills that matter now. The hiss of the suppressor seals the eternal rest of the piglet. The natural stage is empty within seconds. The BA13 has fulfilled its precise task. ”



TAKEDOWN

WEIGHT
starting at
2.9 kg

RRP (NO VAT)
starting at
578 €

BARREL

4140 CrMo Steel
42 cm (16.5") - 51 cm (20") barrel lengths

FINISH

Matte blued

STOCK

Thumbhole or Standard Synthetic black

SCOPE MOUNT

Weaver style aluminium rail



CALIBERS

.222 REM. | .223 REM. | .243 WIN | .30-06 SPRG | .308 WIN | .8X57 JRS | .45-70 GOVT | .300 BLK

TAKEDOWN STRATA

WEIGHT
starting at
3.1 kg

RRP (NO VAT)
starting at
759 €

BARREL

4140 CrMo Steel
46 cm (18") - 51 cm (20") barrel length

FINISH

Elite Moss Cerakote®

STOCK

Thumbhole or Standard Synthetic strata

SCOPE MOUNT

Weaver style steel rail



CALIBERS

.223 REM. | .300 BLK | 6.5 CREEDMOOR | .308 WIN | .30-06 SPRG

TAKEDOWN GREEN

WEIGHT
starting at
3.1 kg

RRP (NO VAT)
starting at
616 €

BARREL


410 stainless steel
46 cm (18") - 51 cm (20") barrel length

STOCK

Thumbhole or Standard Synthetic green

SCOPE MOUNT

Weaver style aluminium rail



CALIBERS
.223 REM. | .300 BLK | 6.5 CREEDMOOR | .308 WIN | .30-06 SPRG



RIMFIRE SERIES

MANUFACTURING HIGHLY ACCURATE RIMFIRE BARRELS IS NOT NEW TO US. WE'VE BEEN DOING IT ON AN OEM BASIS FOR WELL OVER A DECADE. WE'VE COMBINED THREE DISTINCT PLATFORMS, EACH DESIGNED FOR VERY DIFFERENT NEEDS, TO FORM OUR RIMFIRE SERIES. PLINKERS, HUNTERS, AND EVEN LONG RANGE RIMFIRE COMPETITORS REAP THE BENEFITS, UPGRADES, AND CROSS COMPATIBILITY FOUND IN THESE RIFLES. THE ONE THING THEY ALL HAVE IN COMMON - NOTHING LESS THAN PERFECTION.

FEATURES

PROPRIETARY RIMFIRE ACTIONS

- Specialty rimfire actions
- Match Grade chambers
- Detachable magazines
- Left-Handed Available on B-14R

BERGARA BARREL

- Made from 4140 CrMo Steel
- Matte blued finish
- Carbon barrel options available

TRIGGER

- Bergara Performance Trigger

STOCK

- Bergara HMR stock, Adjustable cheek, Free-floated (B-14R)
- QD Cups and Swivels (BMR Swivel only)





SPOTLIGHT

“ SHANE DOUGLAS
TEAM BERGARA

The Bergara Pro Team is a great mixture of competitive shooters from different disciplines ranging from Extreme Long Range, PRS matches, NRL hunter matches, and the rapidly growing 22lr PRS/NRL style events. This grassroots style support and opportunity to hear from end users helps make sure you can depend on your rifle whether it's at a match or out in the field taking that shot on a once in a lifetime hunting trip! Team Bergara is a very unique and very different approach to helping those that we can whether it's fixing rifles at matches or offering advice or tips that we have learned along the way. If you see a Bergara jersey at a match feel free to come say hi or check out gear!

”



B-14R // CARBON

WEIGHT
starting at
3.6 kg

RRP (NO VAT)
starting at
1.018 €

CAPACITY
magazine fed
10 Rounds

BARREL

Carbon Barrel
46 cm (18") - 51 cm (20") barrel lengths

FINISH

Matte blued

STOCK

Bergara HMR stock

MAGAZINE

AICS Style Detachable

LEFT HANDED MODELS AVAILABLE



B-14R // STEEL

WEIGHT
starting at
4.1 kg

RRP (NO VAT)
starting at
957 €

CAPACITY
magazine fed
10 Rounds

BARREL

4140 CrMo Steel
46 cm (18") - 51 cm (20") barrel lengths

FINISH

Matte blued

STOCK

Bergara HMR stock

MAGAZINE

AICS Style Detachable

LEFT HANDED MODELS AVAILABLE



CALIBERS

.17 HMR | .22 LR | .22 WMR

CALIBERS

.17 HMR | .22 LR | .22 WMR



BMR // CARBON

WEIGHT
starting at
2.3 kg

RRP (NO VAT)
starting at
605 €

CAPACITY
magazine fed
10 Rounds

BARREL

Carbon Barrel
46 cm (18") - 51 cm (20") barrel lengths

FINISH

Matte blued

STOCK

BMR stock

MAGAZINE

AICS Style Detachable



BMR // STEEL

WEIGHT
starting at
2.5 kg

RRP (NO VAT)
starting at
550 €

CAPACITY
magazine fed
10 Rounds

BARREL

4140 CrMo Steel
46 cm (18") - 51 cm (20") barrel length

FINISH

Matte blued

STOCK

BMR stock

MAGAZINE

AICS Style Detachable



CALIBERS

.17 HMR | .22 LR | .22 WMR

CALIBERS

.17 HMR | .22 LR | .22 WMR

BARRELED ACTION

WEIGHT

starting at
3.4 kg

RRP (NO VAT)

starting at
825 €

CAPACITY

magazine fed
10 Rounds

BARREL

410 stainless steel
51 cm (20") barrel length


MAGAZINE

AICS Style Detachable

LEFT HANDED MODELS AVAILABLE



CALIBER
22 LR





BERGARA ACCESSORIES



OMNI MUZZLE BRAKE



BERGARA AICS MAGAZINES



BERGARA RAIL

Fits Rem 700[®] with 6-48 and 8-40 screws



B-14R MAGAZINE



BERGARA EDC BACKPACK



BERGARA SOFT RIFLE GUNCASE



QUAKE SLINGS



QUAKE SHOOTING BAGS

PREMIER SERIES RIFLES

*All Premier Series Rifles come with TriggerTech Frictionless Release Technology™ and barrel & action in Tactical Grey Cerakote®

Reference	Caliber	Twist	Barrel Length	Overall Length	Muzzle Diameter	Barrel Thread	Overall Weight	Magazine	Capacity
HMR PRO *Feature a Bergara HMR molded stock with mini-chassis									
BP235-22250	.22-250 Rem.	1:9"	61 cm (24")	112 cm (44")	19.1 mm (No. 5.5)	5/8-24 UNEF	4,3 kg (9.5 lbs)	AICS COMPATIBLE	5+1
BP235-65HB	6.5 Creedmoor	1:8"	61 cm (24")	112 cm (44")	21.5 mm (No. 6)	5/8-24 UNEF	4,4 kg (9.8 lbs)	AICS COMPATIBLE	5+1
BP235-65	6.5 Creedmoor	1:8"	61 cm (24")	112 cm (44")	19.1 mm (No. 5.5)	5/8-24 UNEF	4,3 kg (9.5 lbs)	AICS COMPATIBLE	5+1
BP236-65PRC	6.5 PRC	1:8"	66 cm (26")	117 cm (46")	19.1 mm (No. 5.5)	5/8-24 UNEF	4,4 kg (9.7 lbs)	AICS COMPATIBLE	3+1
BP236-300PRC	.300 PRC	1:9"	66 cm (26")	121 cm (47.5")	19.1 mm (No. 5.5)	5/8-24 UNEF	4,4 kg (9.8 lbs)	AICS COMPATIBLE	5+1
BP233-308	.308 Win.	1:10"	51 cm (20")	103 cm (40")	19.1 mm (No. 5.5)	5/8-24 UNEF	4,2 kg (9.3 lbs)	AICS COMPATIBLE	5+1
BP236-300	.300 Win. Mag.	1:10"	66 cm (26")	121 cm (47.5")	19.1 mm (No. 5.5)	5/8-24 UNEF	4,4 kg (9.8 lbs)	AICS COMPATIBLE	5+1
ELEVATE *Feature a MDT HNT26 Carbon Chassis Stock									
BP144C-65	6.5 Creedmoor	1:8"	56 cm (22")	107 cm (42")	21.5 mm (No. 6)	5/8-24 UNEF	2,7 kg (5,9 lbs)	AICS COMPATIBLE	5+1
BP145C-65PRC	6.5 PRC	1:8"	61 cm (24")	112 cm (44")	21.5 mm (No. 6)	5/8-24 UNEF	2,8 kg (6,1 lbs)	AICS COMPATIBLE	3+1
BP143C-308	.308 Win.	1:10"	51 cm (20")	102 cm (40")	21.5 mm (No. 6)	5/8-24 UNEF	2,6 kg (5,7 lbs)	AICS COMPATIBLE	5+1
ELITE *Feature a MDT Elite Stock									
BP156-6C	6mm Creedmoor	1:7,5"	66 cm (26")	115 cm (45")	23.6 mm (No. 7)	5/8-24 UNEF	6,4 kg (14,1 lbs)	AICS COMPATIBLE	10+1
BP156-65	6.5 Creedmoor	1:8"	66 cm (26")	115 cm (45")	23.6 mm (No. 7)	5/8-24 UNEF	6,4 kg (14,1 lbs)	AICS COMPATIBLE	10+1
BP156-308	.308 Win.	1:10"	66 cm (26")	115 cm (45")	23.6 mm (No. 7)	5/8-24 UNEF	6,4 kg (14,1 lbs)	AICS COMPATIBLE	10+1

B-14² SERIES RIFLES

*B-14² Series Rifle come with the Bergara Performance Trigger and barrel & action in Sniper Grey Cerakote®

Reference	Caliber	Twist	Barrel Length	Overall Length	Muzzle Diameter	Barrel Thread	Overall Weight	Magazine	Capacity
CREST *Feature a 100% carbon fiber monocoque stock, steel barrel and installed Omni Brake									
BE163-223	.223 Rem.	1:9"	51 cm (20")	104 cm (40")	17.5 mm (No. 5)	5/8-24 UNEF	3,1 kg (6.8 lbs)	AICS COMPATIBLE	7+1
BE163-243	.243 Win.	1:10"	51 cm (20")	104 cm (40")	17.5 mm (No. 5)	5/8-24 UNEF	3,1 kg (6.8 lbs)	AICS COMPATIBLE	5+1
BE163-65	6.5 Creedmoor	1:8"	51 cm (20")	104 cm (40")	17.5 mm (No. 5)	5/8-24 UNEF	3,1 kg (6.8 lbs)	AICS COMPATIBLE	5+1
BE163-65PRC	6.5 PRC	1:8"	51 cm (20")	104 cm (40")	17.5 mm (No. 5)	5/8-24 UNEF	3,1 kg (6.8 lbs)	AICS COMPATIBLE	3+1
BE164-270	.270 Win.	1:10"	56 cm (22")	111 cm (43.7")	17.5 mm (No. 5)	5/8-24 UNEF	3,2 kg (7 lbs)	AICS COMPATIBLE	5+1
BE164-7PRC	.7 PRC	1:8"	56 cm (22")	111 cm (43.7")	17.5 mm (No. 5)	5/8-24 UNEF	3,2 kg (7 lbs)	AICS COMPATIBLE	5+1
BE165-7RM	7mm Rem. Mag.	1:9,5"	61 cm (24")	116 cm (44.5")	17.5 mm (No. 5)	5/8-24 UNEF	3,3 kg (7.2 lbs)	AICS COMPATIBLE	5+1
BE164-3006	.30-06 Spring.	1:10"	56 cm (22")	111 cm (43.7")	17.5 mm (No. 5)	5/8-24 UNEF	3,2 kg (7 lbs)	AICS COMPATIBLE	5+1
BE163-308	.308 Win.	1:10"	51 cm (20")	104 cm (40")	17.5 mm (No. 5)	5/8-24 UNEF	3,1 kg (6.8 lbs)	AICS COMPATIBLE	5+1
BE165-300	.300 Win. Mag.	1:10"	61 cm (24")	116 cm (44.5")	17.5 mm (No. 5)	5/8-24 UNEF	3,3 kg (7.2 lbs)	AICS COMPATIBLE	5+1
CREST CARBON *Feature a 100% carbon fiber monocoque stock and Cure Carbon barrel with installed Omni Brake									
BE163C-223	.223 Rem.	1:9"	51 cm (20")	104 cm (40.9")	21.5 mm (No. 6)	5/8-24 UNEF	2,9 kg (6,3 lbs)	AICS COMPATIBLE	7+1
BE163C-65	6.5 Creedmoor	1:8"	51 cm (20")	104 cm (40.9")	21.5 mm (No. 6)	5/8-24 UNEF	2,9 kg (6,3 lbs)	AICS COMPATIBLE	5+1
BE165C-65PRC	6.5 PRC	1:8"	61 cm (24")	114 cm (44.9")	21.5 mm (No. 6)	5/8-24 UNEF	3,1 kg (6,8 lbs)	AICS COMPATIBLE	3+1
BE164C-270	.270 Win.	1:10"	56 cm (22")	111 cm (43.7")	21.5 mm (No. 6)	5/8-24 UNEF	3 Kg (6,6 lbs)	AICS COMPATIBLE	5+1
BE164C-7PRC	.7 PRC	1:8"	56 cm (22")	111 cm (43.7")	21.5 mm (No. 6)	5/8-24 UNEF	3 kg (6,6 lbs)	AICS COMPATIBLE	5+1
BE165C-7RM	7mm Rem. Mag.	1:9,5"	61 cm (24")	116 cm (45.7")	21.5 mm (No. 6)	5/8-24 UNEF	3,1 kg (6,8 lbs)	AICS COMPATIBLE	5+1
BE164C-3006	.30-06 Spring.	1:10"	56 cm (22")	111 cm (43.7")	21.5 mm (No. 6)	5/8-24 UNEF	3 Kg (6,6 lbs)	AICS COMPATIBLE	5+1
BE163C-308	.308 Win.	1:10"	51 cm (20")	104 cm (40.9")	21.5 mm (No. 6)	5/8-24 UNEF	2,9 kg (6,3 lbs)	AICS COMPATIBLE	5+1
BE165C-300	.300 Win. Mag.	1:10"	61 cm (24")	116 cm (45.7")	21.5 mm (No. 6)	5/8-24 UNEF	3,1 kg (6,8 lbs)	AICS COMPATIBLE	5+1



B-14 WILDERNESS SERIES® RIFLES

*All B-14 Wilderness Series Rifles feature Bergara barreled actions in Sniper Grey Cerakote® and have stocks with Bergara custom camouflage.

Reference	Caliber	Twist	Barrel Length	Overall Length	Muzzle Diameter	Barrel Thread	Overall Weight	Magazine	Capacity
SIERRA *Feature a Bergara Sporter with adjustable comb stock and installed Omni Brake									
BW163-223	.223 Rem.	1:9"	51 cm (20")	103 cm (40.7")	17.5 mm (No. 5)	5/8-24 UNEF	3,2 kg (7 lbs)	AICS COMPATIBLE	7+1
BW163-65	6.5 Creedmoor	1:8"	51 cm (20")	103 cm (40.7")	17.5 mm (No. 5)	5/8-24 UNEF	3,2 kg (7 lbs)	AICS COMPATIBLE	5+1
BW163-65PRC	6.5 PRC	1:8"	51 cm (20")	103 cm (40.7")	17.5 mm (No. 5)	5/8-24 UNEF	3,2 kg (7 lbs)	AICS COMPATIBLE	3+1
BW164-270	.270 Win.	1:10"	56 cm (22")	110 cm (43.5")	17.5 mm (No. 5)	5/8-24 UNEF	3,3 kg (7.2 lbs)	AICS COMPATIBLE	5+1
BW164-7PRC	.7 PRC	1:8"	56 cm (22")	110 cm (43.5")	17.5 mm (No. 5)	5/8-24 UNEF	3,3 kg (7.2 lbs)	AICS COMPATIBLE	5+1
BW165-7RM	7mm Rem. Mag.	1:9,5"	61 cm (24")	115 cm (45.5")	17.5 mm (No. 5)	5/8-24 UNEF	3,4 kg (7.4 lbs)	AICS COMPATIBLE	5+1
BW164-3006	.30-06 Spring.	1:10"	56 cm (22")	110 cm (43.5")	17.5 mm (No. 5)	5/8-24 UNEF	3,3 kg (7.2 lbs)	AICS COMPATIBLE	5+1
BW165-300PRC	.300 PRC	1:9"	61 cm (24")	115 cm (45.5")	17.5 mm (No. 5)	5/8-24 UNEF	3,4 kg (7.4 lbs)	AICS COMPATIBLE	5+1
BW163-308	.308 Win.	1:10"	51 cm (20")	103 cm (40.7")	17.5 mm (No. 5)	5/8-24 UNEF	3,2 kg (7 lbs)	AICS COMPATIBLE	5+1
BW165-300	.300 Win. Mag.	1:10"	61 cm (24")	115 cm (45.5")	17.5 mm (No. 5)	5/8-24 UNEF	3,4 kg (7.4 lbs)	AICS COMPATIBLE	5+1
SIERRA LEFT HANDED *Feature a Bergara Sporter with adjustable comb stock and installed Omni Brake									
BW163-65Z	6.5 Creedmoor	1:8"	51 cm (20")	103 cm (40.7")	17.5 mm (No. 5)	5/8-24 UNEF	3,2 kg (7 lbs)	AICS COMPATIBLE	5+1
BW163-65PRCZ	6.5 PRC	1:8"	51 cm (20")	103 cm (40.7")	17.5 mm (No. 5)	5/8-24 UNEF	3,2 kg (7 lbs)	AICS COMPATIBLE	3+1
BW164-3006Z	.30-06 Spring.	1:10"	56 cm (22")	110 cm (43.5")	17.5 mm (No. 5)	5/8-24 UNEF	3,3 kg (7.2 lbs)	AICS COMPATIBLE	5+1
BW163-308Z	.308 Win.	1:10"	51 cm (20")	103 cm (40.7")	17.5 mm (No. 5)	5/8-24 UNEF	3,2 kg (7 lbs)	AICS COMPATIBLE	5+1
BW165-300Z	.300 Win. Mag.	1:10"	61 cm (24")	115 cm (45.5")	17.5 mm (No. 5)	5/8-24 UNEF	3,4 kg (7.4 lbs)	AICS COMPATIBLE	5+1
THUMBHOLE CARBON *Feature a Thumbhole Synthetic stock, Cure carbon barrel and installed Omni Brake									
BW153C-223	.223 Rem.	1:9"	51 cm (20")	103 cm (40.5")	21.5 mm (No. 6)	5/8-24 UNEF	3 kg (6.6 lbs)	AICS COMPATIBLE	7+1
BW154C-65	6.5 Creedmoor	1:8"	56 cm (22")	108 cm (42.5")	21.5 mm (No. 6)	5/8-24 UNEF	3,2 kg (7 lbs)	AICS COMPATIBLE	5+1
BW155C-65PRC	6.5 PRC	1:8"	61 cm (24")	114 cm (44.5")	21.5 mm (No. 6)	5/8-24 UNEF	3,3 kg (7.4 lbs)	AICS COMPATIBLE	3+1
BW154C-270	.270 Win.	1:10"	56 cm (22")	108 cm (42.5")	21.5 mm (No. 6)	5/8-24 UNEF	3,2 kg (7 lbs)	AICS COMPATIBLE	5+1
BW154C-7PRC	.7 PRC	1:8"	56 cm (22")	110 cm (43.3")	21.5 mm (No. 6)	5/8-24 UNEF	3,2 kg (7 lbs)	AICS COMPATIBLE	5+1
BW155C-7RM	7mm Rem. Mag.	1:9,5"	61 cm (24")	114 cm (44.5")	21.5 mm (No. 6)	5/8-24 UNEF	3,3 kg (7.4 lbs)	AICS COMPATIBLE	5+1
BW154C-3006	.30-06 Spring.	1:10"	56 cm (22")	108 cm (42.5")	21.5 mm (No. 6)	5/8-24 UNEF	3,2 kg (7 lbs)	AICS COMPATIBLE	5+1
BW153C-308	.308 Win.	1:10"	51 cm (20")	103 cm (40.5")	21.5 mm (No. 6)	5/8-24 UNEF	3 kg (6.6 lbs)	AICS COMPATIBLE	5+1
BW155C-300	.300 Win. Mag.	1:10"	61 cm (24")	114 cm (44.5")	21.5 mm (No. 6)	5/8-24 UNEF	3,3 kg (7.4 lbs)	AICS COMPATIBLE	5+1
THUMBHOLE *Feature a Thumbhole Synthetic stock, steel barrel and installed Omni Brake									
BW153-223	.223 Rem.	1:9"	51 cm (20")	103 cm (40.5")	17.5 mm (No. 5)	5/8-24 UNEF	3,3 kg (7.2 lbs)	AICS COMPATIBLE	7+1
BW153-243	.243 Win.	1:10"	51 cm (20")	103 cm (40.5")	17.5 mm (No. 5)	5/8-24 UNEF	3,3 kg (7.2 lbs)	AICS COMPATIBLE	5+1
BW153-65	6.5 Creedmoor	1:8"	51 cm (20")	103 cm (40.5")	17.5 mm (No. 5)	5/8-24 UNEF	3,3 kg (7.2 lbs)	AICS COMPATIBLE	5+1
BW153-65PRC	6.5 PRC	1:8"	51 cm (20")	103 cm (40.5")	17.5 mm (No. 5)	5/8-24 UNEF	3,3 kg (7.2 lbs)	AICS COMPATIBLE	3+1
BW154-270	.270 Win.	1:10"	56 cm (22")	110 cm (43.3")	17.5 mm (No. 5)	5/8-24 UNEF	3,4 kg (7.4 lbs)	AICS COMPATIBLE	5+1
BW154-7PRC	.7 PRC	1:8"	56 cm (22")	110 cm (43.3")	17.5 mm (No. 5)	5/8-24 UNEF	3,4 kg (7.4 lbs)	AICS COMPATIBLE	5+1
BW155-7RM	7mm Rem. Mag.	1:9,5"	61 cm (24")	114 cm (44.5")	17.5 mm (No. 5)	5/8-24 UNEF	3,5 kg (7.7 lbs)	AICS COMPATIBLE	5+1
BW154-3006	.30-06 Spring.	1:10"	56 cm (22")	110 cm (43.3")	17.5 mm (No. 5)	5/8-24 UNEF	3,4 kg (7.4 lbs)	AICS COMPATIBLE	5+1
BW153-308	.308 Win.	1:10"	51 cm (20")	103 cm (40.5")	17.5 mm (No. 5)	5/8-24 UNEF	3,3 kg (7.2 lbs)	AICS COMPATIBLE	5+1
BW155-300	.300 Win. Mag.	1:10"	61 cm (24")	114 cm (44.5")	17.5 mm (No. 5)	5/8-24 UNEF	3,5 kg (7.7 lbs)	AICS COMPATIBLE	5+1
RIDGE CARBON *Feature an American style synthetic stock. Cure carbon barrel and installed Omni Brake									
BW124CF-65	6.5 Creedmoor	1:8"	56 cm (22")	105 cm (41.5")	21.5 mm (No. 6)	5/8-24 UNEF	2,9 kg (6.5 lbs)	FLOORPLATE	4+1
BW125CF-65PRC	6.5 PRC	1:8"	61 cm (24")	97 cm (43.5")	21.5 mm (No. 6)	5/8-24 UNEF	2,9 kg (6.6 lbs)	FLOORPLATE	3+1
BW124CF-7PRC	.7 PRC	1:8"	56 cm (22")	107 cm (42")	21.5 mm (No. 6)	5/8-24 UNEF	3 kg (6.7 lbs)	FLOORPLATE	3+1
BW123CF-308	.308 Win.	1:10"	51 cm (20")	100 cm (39.5")	21.5 mm (No. 6)	5/8-24 UNEF	2,9 kg (6.4 lbs)	FLOORPLATE	4+1
BW125CF-300	.300 Win. Mag.	1:10"	61 cm (24")	112 cm (44")	21.5 mm (No. 6)	5/8-24 UNEF	3 kg (6.7 lbs)	FLOORPLATE	3+1
RIDGE *Feature an American style synthetic stock, steel barrel and installed Omni Brake									
BW124F-65	6.5 Creedmoor	1:8"	56 cm (22")	105 cm (41.5")	17.5 mm (No. 5)	5/8-24 UNEF	3,4 kg (7.5 lbs)	FLOORPLATE	4+1
BW125F-65PRC	6.5 PRC	1:8"	61 cm (24")	110 cm (43.5")	17.5 mm (No. 5)	5/8-24 UNEF	3,4 kg (7.6 lbs)	FLOORPLATE	3+1
BW124F-7PRC	.7 PRC	1:8"	56 cm (22")	107 cm (42")	17.5 mm (No. 5)	5/8-24 UNEF	3,4 kg (7.5 lbs)	FLOORPLATE	+1
BW125F-300PRC	.300 PRC	1:9"	61 cm (24")	112 cm (44")	17.5 mm (No. 5)	5/8-24 UNEF	3,5 kg (7.7 lbs)	FLOORPLATE	3+1
BW123F-308	.308 Win.	1:10"	51 cm (20")	100 cm (39.5")	17.5 mm (No. 5)	5/8-24 UNEF	3,3 kg (7.4 lbs)	FLOORPLATE	4+1
BW125F-300	.300 Win. Mag.	1:10"	61 cm (24")	112 cm (44")	17.5 mm (No. 5)	5/8-24 UNEF	3,5 kg (7.7 lbs)	FLOORPLATE	3+1

Reference	Caliber	Twist	Barrel Length	Overall Length	Muzzle Diameter	Barrel Thread	Overall Weight	Magazine	Capacity
HMR CARBON *Feature a Bergara HMR molded stock with mini-chassis, Cure carbon barrel and installed Omni Brake									
BW134C-65	6.5 Creedmoor	1:8"	56 cm (22")	107 cm (42")	21.5 mm (No. 6)	5/8-24 UNEF	3,6 kg (7.9 lbs)	AICS COMPATIBLE	5+1
BW135C-65PRC	6.5 PRC	1:8"	61 cm (24")	112 cm (44")	21.5 mm (No. 6)	5/8-24 UNEF	3,7 kg (8.2 lbs)	AICS COMPATIBLE	3+1
BW134C-7PRC	.7 PRC	1:8"	56 cm (22")	109 cm (43")	21.5 mm (No. 6)	5/8-24 UNEF	3,6 kg (7.9 lbs)	AICS COMPATIBLE	5+1
BW133C-308	.308 Win.	1:10"	51 cm (20")	102 cm (40")	21.5 mm (No. 6)	5/8-24 UNEF	3,4 kg (7.5 lbs)	AICS COMPATIBLE	5+1
BW135C-300	.300 Win. Mag.	1:10"	61 cm (24")	112 cm (44.5")	21.5 mm (No. 6)	5/8-24 UNEF	3,8 kg (8.3 lbs)	AICS COMPATIBLE	5+1
HMR *Feature a Bergara HMR molded stock with mini-chassis, steel barrel and installed Omni Brake									
BW135-65	6.5 Creedmoor	1:8"	61 cm (24")	112 cm (44")	21.5 mm (No. 6)	5/8-24 UNEF	4,4 kg (9.7 lbs)	AICS COMPATIBLE	5+1
BW135-65PRC	6.5 PRC	1:8"	61 cm (24")	112 cm (44")	21.5 mm (No. 6)	5/8-24 UNEF	4,4 kg (9.7 lbs)	AICS COMPATIBLE	3+1
BW134-7PRC	.7 PRC	1:8"	56 cm (22")	109 cm (42.9")	21.5 mm (No. 6)	5/8-24 UNEF	4,3 kg (9.5 lbs)	AICS COMPATIBLE	5+1
BW136-300PRC	.300 PRC	1:9"	66 cm (26")	117 cm (46.1")	21.5 mm (No. 6)	5/8-24 UNEF	4,5 kg (9.9 lbs)	AICS COMPATIBLE	5+1
BW133-308	.308 Win.	1:10"	51 cm (20")	102 cm (40")	21.5 mm (No. 6)	5/8-24 UNEF	4,3 kg (9.5 lbs)	AICS COMPATIBLE	5+1
BW136-300	.300 Win. Mag.	1:10"	66 cm (26")	117 cm (46.1")	21.5 mm (No. 6)	5/8-24 UNEF	4,5 kg (9.9 lbs)	AICS COMPATIBLE	5+1

B-14 EXTREME SERIES RIFLES

*All B-14 Extreme Series Rifles come with the Bergara Performance Trigger

Reference	Caliber	Twist	Barrel Length	Overall Length	Muzzle Diameter	Barrel Thread	Overall Weight	Magazine	Capacity
EXTREME SIERRA *Feature a Bergara Sporter with adjustable comb stock									
BX132-223	.223 Rem.	1:9"	46 cm (18")	95 cm (37.5")	17.5 mm (No. 5)	5/8-24 UNEF	3 kg (6.6 lbs)	AICS COMPATIBLE	7+1
BX132-243	.243 Win.	1:10"	46 cm (18")	95 cm (37.5")	17.5 mm (No. 5)	5/8-24 UNEF	3 kg (6.6 lbs)	AICS COMPATIBLE	5+1
BX132-3006	.30-06 Spring.	1:10"	46 cm (18")	97 cm (38")	17.5 mm (No. 5)	5/8-24 UNEF	3 kg (6.6 lbs)	AICS COMPATIBLE	5+1
BX132-300B	.300 BLK	1:8"	46 cm (18")	95 cm (37.5")	17.5 mm (No. 5)	5/8-24 UNEF	3 kg (6.6 lbs)	AICS COMPATIBLE	7+1
BX132-308	.308 Win.	1:10"	46 cm (18")	95 cm (37.5")	17.5 mm (No. 5)	5/8-24 UNEF	3 kg (6.6 lbs)	AICS COMPATIBLE	5+1
EXTREME SIERRA *Feature a Bergara Sporter with adjustable comb stock and Open Sights									
BX132A-223	.223 Rem.	1:9"	46 cm (18")	95 cm (37.5")	17.5 mm (No. 5)	5/8-24 UNEF	3 kg (6.6 lbs)	AICS COMPATIBLE	7+1
BX132A-243	.243 Win.	1:10"	46 cm (18")	95 cm (37.5")	17.5 mm (No. 5)	5/8-24 UNEF	3 kg (6.6 lbs)	AICS COMPATIBLE	5+1
BX132A-3006	.30-06 Spring.	1:10"	46 cm (18")	97 cm (38")	17.5 mm (No. 5)	5/8-24 UNEF	3 kg (6.6 lbs)	AICS COMPATIBLE	5+1
BX132A-300B	.300 BLK	1:8"	46 cm (18")	95 cm (37.5")	17.5 mm (No. 5)	5/8-24 UNEF	3 kg (6.6 lbs)	AICS COMPATIBLE	7+1
BX132A-308	.308 Win.	1:10"	46 cm (18")	95 cm (37.5")	17.5 mm (No. 5)	5/8-24 UNEF	3 kg (6.6 lbs)	AICS COMPATIBLE	5+1
EXTREME HUNTER *Feature an American style synthetic stock									
BX212-243	.243 Win.	1:10"	46 cm (18")	95 cm (37.5")	17.5 mm (No. 5)	5/8-24 UNEF	2,9 kg (6.4 lbs)	DETACHABLE	3+1
BX212-65	6.5 Creedmoor	1:8"	46 cm (18")	95 cm (37.5")	17.5 mm (No. 5)	5/8-24 UNEF	2,9 kg (6.4 lbs)	DETACHABLE	3+1
BX212-3006	.30-06 Spring.	1:10"	46 cm (18")	97 cm (38")	17.5 mm (No. 5)	5/8-24 UNEF	2,9 kg (6.4 lbs)	DETACHABLE	3+1
BX212-308	.308 Win.	1:10"	46 cm (18")	95 cm (37.5")	17.5 mm (No. 5)	5/8-24 UNEF	2,9 kg (6.4 lbs)	DETACHABLE	3+1
BX212-9x3	9.3x62mm	1:14"	46 cm (18")	97 cm (38")	17.5 mm (No. 5)	5/8-24 UNEF	2,9 kg (6.4 lbs)	DETACHABLE	3+1
EXTREME HUNTER *Feature an American style synthetic stock and Open Sights									
BX212A-243	.243 Win.	1:10"	46 cm (18")	95 cm (37.5")	17.5 mm (No. 5)	5/8-24 UNEF	2,9 kg (6.4 lbs)	DETACHABLE	3+1
BX212A-65	6.5 Creedmoor	1:8"	46 cm (18")	95 cm (37.5")	17.5 mm (No. 5)	5/8-24 UNEF	2,9 kg (6.4 lbs)	DETACHABLE	3+1
BX212A-3006	.30-06 Spring.	1:10"	46 cm (18")	97 cm (38")	17.5 mm (No. 5)	5/8-24 UNEF	2,9 kg (6.4 lbs)	DETACHABLE	3+1
BX212A-308	.308 Win.	1:10"	46 cm (18")	95 cm (37.5")	17.5 mm (No. 5)	5/8-24 UNEF	2,9 kg (6.4 lbs)	DETACHABLE	3+1
BX212A-9x3	9.3x62mm	1:14"	46 cm (18")	97 cm (38")	17.5 mm (No. 5)	5/8-24 UNEF	2,9 kg (6.4 lbs)	DETACHABLE	3+1



B-14 SERIES RIFLES

*All B-14 Series Rifles come with the Bergara Performance Trigger

Reference	Caliber	Twist	Barrel Length	Overall Length	Muzzle Diameter	Barrel Thread	Overall Weight	Magazine	Capacity
STOKE *Compact stock with 31.1 cm LOP									
BE173-22250	.22-250 Rem.	1:9"	51 cm (20")	97 cm (38.4")	17.5 mm (No. 5)	5/8-24 UNEF	2,8 kg (6,1 lbs)	AICS COMPATIBLE	3+1
BE171-223	.223 Rem.	1:9"	42 cm (16,5")	88 cm (34,8")	17.5 mm (No. 5)	5/8-24 UNEF	2,5 kg (5,5 lbs)	AICS COMPATIBLE	7+1
BE173-243	.243 Win.	1:10"	51 cm (20")	97 cm (38.4")	17.5 mm (No. 5)	5/8-24 UNEF	2,8 kg (6,1 lbs)	AICS COMPATIBLE	3+1
BE173-65	6.5 Creedmoor	1:8"	51 cm (20")	97 cm (38.4")	17.5 mm (No. 5)	5/8-24 UNEF	2,8 kg (6,1 lbs)	AICS COMPATIBLE	3+1
BE173-65PRC	6.5 PRC	1:8"	51 cm (20")	97 cm (38.4")	17.5 mm (No. 5)	5/8-24 UNEF	2,8 kg (6,1 lbs)	AICS COMPATIBLE	3+1
BE171-300B	.300 BLK	1:8"	42 cm (16,5")	88 cm (34,8")	17.5 mm (No. 5)	5/8-24 UNEF	2,5 kg (5,5 lbs)	AICS COMPATIBLE	7+1
BE173-308	.308 Win.	1:10"	51 cm (20")	97 cm (38.4")	17.5 mm (No. 5)	5/8-24 UNEF	2,8 kg (6,1 lbs)	AICS COMPATIBLE	3+1
SPORTER *Feature a Montecarlo style synthetic stock									
BE124-243	.243 Win.	1:10"	56 cm (22")	107 cm (42")	16.6 mm (No. 4)	M14x1	3,3 kg (7.3 lbs)	DETACHABLE	3+1
BE124-65	6.5 Creedmoor	1:8"	56 cm (22")	107 cm (42")	16.6 mm (No. 4)	M14x1	3,3 kg (7.3 lbs)	DETACHABLE	3+1
BE125-65X	6.5x55 SE	1:8,66"	61 cm (24")	115 cm (45")	16.6 mm (No. 4)	M14x1	3,4 kg (7.5 lbs)	DETACHABLE	3+1
BE125-270	.270 Win.	1:10"	61 cm (24")	115 cm (45")	16.6 mm (No. 4)	M14x1	3,4 kg (7.5 lbs)	DETACHABLE	3+1
BE125-7RM	7mm Rem. Mag.	1:9,5"	61 cm (24")	115 cm (45")	16.6 mm (No. 4)	M14x1	3,4 kg (7.5 lbs)	DETACHABLE	2+1
BE125-3006	.30-06 Spring.	1:10"	61 cm (24")	115 cm (45")	16.6 mm (No. 4)	M14x1	3,4 kg (7.5 lbs)	DETACHABLE	3+1
BE124-308	.308 Win.	1:12"	56 cm (22")	107 cm (42")	16.6 mm (No. 4)	M14x1	3,3 kg (7.3 lbs)	DETACHABLE	3+1
BE125-300	.300 Win. Mag.	1:10"	61 cm (24")	115 cm (45")	16.6 mm (No. 4)	M14x1	3,4 kg (7.5 lbs)	DETACHABLE	2+1
BE125-338	.338 Win. Mag.	1:10"	61 cm (24")	115 cm (45")	19.1 mm (No. 5.5)	M15x1	3,4 kg (7.5 lbs)	DETACHABLE	2+1
TIMBER *Feature a walnut Monte Carlo style stock									
BE114-243	.243 Win.	1:10"	56 cm (22")	107 cm (42")	16.6 mm (No. 4)	M14x1	3,4 kg (7.5 lbs)	DETACHABLE	3+1
BE114-65	6.5 Creedmoor	1:8"	56 cm (22")	107 cm (42")	16.6 mm (No. 4)	M14x1	3,5 kg (7.5 lbs)	DETACHABLE	3+1
BE115-65X	6.5x55 SE	1:8,66"	61 cm (24")	115 cm (45")	16.6 mm (No. 4)	M14x1	3,5 kg (7.7 lbs)	DETACHABLE	3+1
BE115-270	.270 Win.	1:10"	61 cm (24")	115 cm (45")	16.6 mm (No. 4)	M14x1	3,5 kg (7.7 lbs)	DETACHABLE	3+1
BE115-7RM	7mm Rem. Mag.	1:9,5"	61 cm (24")	115 cm (45")	16.6 mm (No. 4)	M14x1	3,5 kg (7.7 lbs)	DETACHABLE	2+1
BE114-3006	.30-06 Spring.	1:10"	56 cm (22")	110 cm (43")	16.6 mm (No. 4)	M14x1	3,5 kg (7.6 lbs)	DETACHABLE	3+1
BE115-3006	.30-06 Spring.	1:10"	61 cm (24")	115 cm (45")	16.6 mm (No. 4)	M14x1	3,5 kg (7.7 lbs)	DETACHABLE	3+1
BE114-308	.308 Win.	1:12"	56 cm (22")	107 cm (42")	16.6 mm (No. 4)	M14x1	3,4 kg (7.5 lbs)	DETACHABLE	3+1
BE115-300	.300 Win. Mag.	1:10"	61 cm (24")	115 cm (45")	16.6 mm (No. 4)	M14x1	3,5 kg (7.7 lbs)	DETACHABLE	2+1
BE115-338	.338 Win. Mag.	1:10"	61 cm (24")	115 cm (43")	18.3 mm (No. 4.5)	M15x1	3,5 kg (7.6 lbs)	DETACHABLE	2+1
BE115-375	.375 H&H	1:12"	61 cm (24")	115 cm (45")	21.5 mm (No. 6)	M18x1	3,7 kg (8.2 lbs)	DETACHABLE	2+1
BE115F-338	.338 Win. Mag.	1:10"	61 cm (24")	115 cm (43")	18.3 mm (No. 4.5)	M15x1	3,5 kg (7.6 lbs)	FLOORPLATE	3+1
BE115F-375	.375 H&H	1:12"	61 cm (24")	115 cm (45")	21.5 mm (No. 6)	M18x1	3,7 kg (7.7 lbs)	FLOORPLATE	2+1
TIMBER LEFT HANDED *Feature a walnut Monte Carlo style stock									
BE114-65Z	6.5 Creedmoor	1:8"	56 cm (22")	107 cm (42")	16.6 mm (No. 4)	M14x1	3,4 kg (7.5 lbs)	DETACHABLE	3+1
BE115-7RMZ	7mm Rem. Mag.	1:9,5"	61 cm (24")	115 cm (45")	16.6 mm (No. 4)	M14x1	3,5 kg (7.7 lbs)	DETACHABLE	2+1
BE114-308Z	.308 Win.	1:12"	56 cm (22")	107 cm (42")	16.6 mm (No. 4)	M14x1	3,4 kg (7.5 lbs)	DETACHABLE	3+1
BE115-300Z	.300 Win. Mag.	1:10"	61 cm (24")	115 cm (45")	16.6 mm (No. 4)	M14x1	3,5 kg (7.7 lbs)	DETACHABLE	2+1
BE115-338Z	.338 Win. Mag.	1:10"	61 cm (24")	115 cm (43")	18.3 mm (No. 4.5)	M15x1	3,5 kg (7.6 lbs)	DETACHABLE	2+1
BE115F-338Z	.338 Win. Mag.	1:10"	61 cm (24")	115 cm (43")	18.3 mm (No. 4.5)	M15x1	3,5 kg (7.6 lbs)	FLOORPLATE	3+1
HUNTER *Feature an American Style synthetic stock									
BE134-243	.243 Win.	1:10"	56 cm (22")	105 cm (41.5")	16.6 mm (No. 4)	M14x1	3,2 kg (7.1 lbs)	DETACHABLE	3+1
BE134-65	6.5 Creedmoor	1:8"	56 cm (22")	105 cm (41.5")	16.6 mm (No. 4)	M14x1	3,2 kg (7.1 lbs)	DETACHABLE	3+1
BE135-270	.270 Win.	1:10"	61 cm (24")	112 cm (44")	16.6 mm (No. 4)	M14x1	3,3 kg (7.3 lbs)	DETACHABLE	3+1
BE135-7RM	7mm Rem. Mag.	1:9,5"	61 cm (24")	112 cm (44")	16.6 mm (No. 4)	M14x1	3,2 kg (7.2 lbs)	DETACHABLE	2+1
BE135-3006	.30-06 Spring.	1:10"	61 cm (24")	112 cm (44")	16.6 mm (No. 4)	M14x1	3,3 kg (7.3 lbs)	DETACHABLE	3+1
BE134-308	.308 Win.	1:12"	56 cm (22")	105 cm (41.5")	16.6 mm (No. 4)	M14x1	3,2 kg (7.1 lbs)	DETACHABLE	3+1
BE135-300	.300 Win. Mag.	1:10"	61 cm (24")	112 cm (44")	16.6 mm (No. 4)	M14x1	3,3 kg (7.3 lbs)	DETACHABLE	2+1

Reference	Caliber	Twist	Barrel Length	Overall Length	Muzzle Diameter	Barrel Thread	Overall Weight	Magazine	Capacity
HMR *Feature a Bergara HMR molded stock with mini-chassis									
BE145-22250	.22-250 Rem.	1:9"	61 cm (24")	112 cm (44")	21.5 mm (No. 6)	M18x1	4,4 kg (9.7 lbs)	AICS COMPATIBLE	5+1
BE145-65	6.5 Creedmoor	1:8"	61 cm (24")	112 cm (44")	21.5 mm (No. 6)	M18x1	4,4 kg (9.7 lbs)	AICS COMPATIBLE	5+1
BE146-65	6.5 Creedmoor	1:8"	66 cm (26")	116 cm (45.5")	21.5 mm (No. 6)	M18x1	4,4 kg (9.8 lbs)	AICS COMPATIBLE	5+1
BE145-308	.308 Win.	1:10"	61 cm (24")	112 cm (44")	21.5 mm (No. 6)	M18x1	4,4 kg (9.7 lbs)	AICS COMPATIBLE	5+1
BE146-300	.300 Win. Mag.	1:10"	66 cm (26")	120 cm (47.5")	19.1 mm (No. 5.5)	M15x1	4,5 kg (9.9 lbs)	AICS COMPATIBLE	5+1
HMR LEFT HANDED *Feature a Bergara HMR molded stock with mini-chassis									
BE145-22250Z	.22-250 Rem.	1:9"	61 cm (24")	112 cm (44")	21.5 mm (No. 6)	M18x1	4,4 kg (9.7 lbs)	AICS COMPATIBLE	5+1
BE145-65Z	6.5 Creedmoor	1:8"	61 cm (24")	112 cm (44")	21.5 mm (No. 6)	M18x1	4,4 kg (9.7 lbs)	AICS COMPATIBLE	5+1
BE146-65Z	6.5 Creedmoor	1:8"	66 cm (26")	116 cm (45.5")	21.5 mm (No. 6)	M18x1	4,4 kg (9.8 lbs)	AICS COMPATIBLE	5+1
BE145-308Z	.308 Win.	1:10"	61 cm (24")	112 cm (44")	21.5 mm (No. 6)	M18x1	4,4 kg (9.7 lbs)	AICS COMPATIBLE	5+1
BE146-300Z	.300 Win. Mag.	1:10"	66 cm (26")	120 cm (47.5")	19.1 mm (No. 5.5)	M15x1	4,5 kg (9.9 lbs)	AICS COMPATIBLE	5+1
BARRELED ACTION *Includes trigger and AICS style magazine									
BRA176S-6C	6mm Creedmoor	1:7,5"	66 cm (26")	84,5 cm (33.3")	23.6 mm (No. 7)	5/8-24 UNEF	3,6 kg (7.9 lbs)	DETACHABLE	10
BRA176S-65	6.5 Creedmoor	1:8"	66 cm (26")	84,5 cm (33.3")	23.6 mm (No. 7)	5/8-24 UNEF	3,6 kg (7.9 lbs)	DETACHABLE	10
BRA176S-308	.308 Win.	1:11"	66 cm (26")	84,5 cm (33.3")	23.6 mm (No. 7)	5/8-24 UNEF	3,6 kg (7.9 lbs)	DETACHABLE	10

BA13 TAKEDOWN SERIES RIFLES

*All BA13 TD Series Rifles have 100% ambidextrous stocks in black, strata camo and green color

Reference	Caliber	Twist	Barrel Length	Overall Length	Muzzle Diameter	Barrel Thread	Overall Weight
TD STANDARD *Feature a Compact Synthetic design stock and Open Sights							
BA113A-222	.222 Rem.	1:14"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,1 kg (6.9 lbs)
BA113A-223	.223 Rem.	1:8"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,1 kg (6.9 lbs)
BA113A-243	.243 Win.	1:10"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,1 kg (6.9 lbs)
BA113A-3006	.30-06 Spring.	1:10"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,1 kg (6.9 lbs)
BA113A-308	.308 Win.	1:12"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,1 kg (6.9 lbs)
BA113A-8X5	8x57 JRS	1:9,5"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,1 kg (6.9 lbs)
BA113A-4570	.45-70 Govt.	1:20"	51 cm (20")	89 cm (35")	19.1 mm (No. 5.5)	5/8-24 UNEF	3,2 kg (7 lbs)
TD STANDARD *Feature a Compact Synthetic design stock							
BA111-300B	.300 BLK	1:8"	42 cm (16,5")	80 cm (31.5")	19.1 mm (No. 5.5)	5/8-24 UNEF	2,9 kg (6.4 lbs)
BA112-300B	.300 BLK	1:8"	46 cm (18")	84 cm (33")	18.3 mm (No. 4.5)	5/8-24 UNEF	3,1 kg (6.8 lbs)
BA111-308	.308 Win.	1:8"	42 cm (16,5")	80 cm (31.5")	19.1 mm (No. 5.5)	5/8-24 UNEF	2,9 kg (6.4 lbs)
BA112-308	.308 Win.	1:8"	46 cm (18")	84 cm (33")	18.3 mm (No. 4.5)	5/8-24 UNEF	3,1 kg (6.8 lbs)
TD STANDARD STRATA *Feature a Compact Synthetic design stock							
BA213-223ST	.223 Rem.	1:8"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,1 kg (6.9 lbs)
BA213-65ST	6.5 Creedmoor	1:8"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,1 kg (6.9 lbs)
BA213-3006ST	.30-06 Spring.	1:10"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,1 kg (6.9 lbs)
BA212-300BST	.300 BLK	1:8"	46 cm (18")	84 cm (35")	18.3 mm (No. 4.5)	5/8-24 UNEF	3,1 kg (6.9 lbs)
BA213-308ST	.308 Win.	1:12"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,1 kg (6.9 lbs)
TD STANDARD GREEN *Feature a Compact Synthetic design stock							
BA213-223G	.223 Rem.	1:8"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,1 kg (6.9 lbs)
BA213-65G	6.5 Creedmoor	1:8"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,1 kg (6.9 lbs)
BA213-3006G	.30-06 Spring.	1:10"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,1 kg (6.9 lbs)
BA212-300BG	.300 BLK	1:8"	46 cm (18")	84 cm (35")	18.3 mm (No. 4.5)	5/8-24 UNEF	3,1 kg (6.9 lbs)
BA213-308G	.308 Win.	1:12"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,1 kg (6.9 lbs)



BA13 TAKEDOWN SERIES RIFLES

*All BA13 TD Series Rifles have 100% ambidextrous stocks in black, strata camo and green color

TD THUMBHOLE *Feature a Take Down Thumbhole stock							
BA123-222	.222 Rem.	1:14"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,1 kg (6.9 lbs)
BA123-223	.223 Rem.	1:8"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,1 kg (6.9 lbs)
BA123-243	.243 Win.	1:10"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,1 kg (6.9 lbs)
BA123-3006	.30-06 Spring.	1:10"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,1 kg (6.9 lbs)
BA122-300B	.300 BLK	1:8"	46 cm (18")	84 cm (33")	18.3 mm (No. 4.5)	5/8-24 UNEF	3,1 kg (6.8 lbs)
BA121-300B	.300 BLK	1:8"	42 cm (16,5")	80 cm (31.5")	19.1 mm (No. 5.5)	5/8-24 UNEF	2,9 kg (6.4 lbs)
BA121-308	.308 Win.	1:8"	42 cm (16,5")	80 cm (31.5")	19.1 mm (No. 5.5)	5/8-24 UNEF	2,9 kg (6.4 lbs)
BA123-308	.308 Win.	1:12"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,1 kg (6.9 lbs)
BA122-308	.308 Win.	1:8"	46 cm (18")	84 cm (33")	18.3 mm (No. 4.5)	5/8-24 UNEF	3,1 kg (6.8 lbs)
BA123-8X5	8x57 JRS	1:9,5"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,1 kg (6.9 lbs)
BA123-4570	.45-70 Govt.	1:20"	51 cm (20")	89 cm (35")	19.1 mm (No. 5.5)	5/8-24 UNEF	3,2 kg (7 lbs)
TD THUMBHOLE STRATA *Feature a Take Down Thumbhole stock							
BA223-223ST	.223 Rem.	1:8"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,1 kg (6.9 lbs)
BA223-65ST	6.5 Creedmoor	1:8"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,1 kg (6.9 lbs)
BA223-3006ST	.30-06 Spring.	1:10"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,1 kg (6.9 lbs)
BA222-300BST	.300 BLK	1:8"	46 cm (18")	84 cm (35")	18.3 mm (No. 4.5)	5/8-24 UNEF	3,1 kg (6.9 lbs)
BA223-308ST	.308 Win.	1:12"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,1 kg (6.9 lbs)
TD THUMBHOLE GREEN *Feature a Take Down Thumbhole stock							
BA223-223G	.223 Rem.	1:8"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,1 kg (6.9 lbs)
BA223-65G	6.5 Creedmoor	1:8"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,1 kg (6.9 lbs)
BA223-3006G	.30-06 Spring.	1:10"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,1 kg (6.9 lbs)
BA222-300BG	.300 BLK	1:8"	46 cm (18")	84 cm (35")	18.3 mm (No. 4.5)	5/8-24 UNEF	3,1 kg (6.9 lbs)
BA223-308G	.308 Win.	1:12"	51 cm (20")	89 cm (35")	17.5 mm (No. 5)	5/8-24 UNEF	3,1 kg (6.9 lbs)

RIMFIRE SERIES RIFLES

Reference	Caliber	Twist	Barrel Length	Overall Length	Muzzle Diameter	Barrel Thread	Overall Weight	Magazine	Capacity
B14-R TRAINER CARBON *Feature an HMR stock and carbon fiber barrel									
BR143-17HMR	.17 HMR	1:9"	51 cm (20")	101 cm (40")	23.6 mm (No. 7)	1/2-28 UNEF	3,7 kg (8.3 lbs)	DETACHABLE	10
BR142-22LR	.22 LR	1:16"	46 cm (18")	96 cm (38")	23.6 mm (No. 7)	1/2-28 UNEF	3,6 kg (8.1 lbs)	DETACHABLE	10
BR143-22W	.22 WMR	1:16"	51 cm (20")	101 cm (40")	23.6 mm (No. 7)	1/2-28 UNEF	3,7 kg (8.3 lbs)	DETACHABLE	10
B14-R TRAINER CARBON LEFT HANDED *Feature an HMR stock and carbon fiber barrel									
BR143-17HMRZ	.17 HMR	1:9"	51 cm (20")	101 cm (40")	23.6 mm (No. 7)	1/2-28 UNEF	3,7 kg (8.3 lbs)	DETACHABLE	10
BR142-22LRZ	.22 LR	1:16"	46 cm (18")	96 cm (38")	23.6 mm (No. 7)	1/2-28 UNEF	3,6 kg (8.1 lbs)	DETACHABLE	10
BR143-22WZ	.22 WMR	1:16"	51 cm (20")	101 cm (40")	23.6 mm (No. 7)	1/2-28 UNEF	3,7 kg (8.3 lbs)	DETACHABLE	10
B14-R TRAINER STEEL *Feature an HMR stock									
BR133-17HMR	.17 HMR	1:9"	51 cm (20")	101 cm (40")	21.5 mm (No. 6)	1/2-28 UNEF	4,1 kg (9.4 lbs)	DETACHABLE	10
BR132-22LR	.22 LR	1:16"	46 cm (18")	96 cm (38")	21.5 mm (No. 6)	1/2-28 UNEF	4,1 kg (9.2 lbs)	DETACHABLE	10
BR133-22W	.22 WMR	1:16"	51 cm (20")	101 cm (40")	21.5 mm (No. 6)	1/2-28 UNEF	4,2 kg (9.4 lbs)	DETACHABLE	10
B14-R TRAINER STEEL LEFT HANDED *Feature an HMR stock									
BR133-17HMRZ	.17 HMR	1:9"	51 cm (20")	101 cm (40")	21.5 mm (No. 6)	1/2-28 UNEF	4,2 kg (9.4 lbs)	DETACHABLE	10
BR132-22LRZ	.22 LR	1:16"	46 cm (18")	96 cm (38")	21.5 mm (No. 6)	1/2-28 UNEF	4,1 kg (9.2 lbs)	DETACHABLE	10
BR133-22WZ	.22 WMR	1:16"	51 cm (20")	101 cm (40")	21.5 mm (No. 6)	1/2-28 UNEF	4,2 kg (9.4 lbs)	DETACHABLE	10
BMR CARBON *Feature a BMR stock and carbon fiber barrel									
BR163-17HMR	.17 HMR	1:9"	51 cm (20")	97 cm (38")	21.5 mm (No. 6)	1/2-28 UNEF	2,4 kg (5.4 lbs)	DETACHABLE	5 AND 10
BR162-22LR	.22 LR	1:16"	46 cm (18")	92 cm (36")	21.5 mm (No. 6)	1/2-28 UNEF	2,3 kg (5 lbs)	DETACHABLE	5 AND 10
BR163-22W	.22 WMR	1:16"	51 cm (20")	97 cm (38")	21.5 mm (No. 6)	1/2-28 UNEF	2,4 kg (5.4 lbs)	DETACHABLE	5 AND 10
BMR STEEL *Feature a BMR stock									
BR153-17HMR	.17 HMR	1:9"	51 cm (20")	97 cm (38")	16.6 mm (No. 4)	1/2-28 UNEF	2,6 kg (5.8 lbs)	DETACHABLE	5 AND 10
BR152-22LR	.22 LR	1:16"	46 cm (18")	92 cm (36")	16.6 mm (No. 4)	1/2-28 UNEF	2,5 kg (5.5 lbs)	DETACHABLE	5 AND 10
BR153-22W	.22 WMR	1:16"	51 cm (20")	97 cm (38")	16.6 mm (No. 4)	1/2-28 UNEF	2,6 kg (5.8 lbs)	DETACHABLE	5 AND 10
BARRELED ACTION *Includes trigger and AICS style magazine									
BRA172S-22LR	.22 LR (Left Handed)	1:16"	51 cm (20")	74,5 cm (29.3")	23.6 mm (No. 7)	1/2-28 UNEF	3,4 kg (7.5 lbs)	DETACHABLE	10
BRA172S-22LRZ	.22 LR (Left Handed)	1:16"	51 cm (20")	74,5 cm (29.3")	23.6 mm (No. 7)	1/2-28 UNEF	3,4 kg (7.5 lbs)	DETACHABLE	10

WARRANTY

Bergara rifles are warranted to be free from manufacturers defects for the life of the gun. With our complete inventory of replacement parts, our experts can repair all Bergara rifles, bringing them back to life.

CUSTOMER SERVICE

If you need a spotter, feel free to call us for backup. We'll get you dialed in. Bergara has a highly trained team of gunsmiths and Customer Service Reps to serve your needs.

DIKAR S. COOP.
Garagartza 39
20500 Arrasate, Gipuzkoa, Spain
info@bergararifles.com

www.bergara.online





WWW.BERGARA.ONLINE